payment of the fee required under 37 C.F.R. § 1.17(a)(3), is filed concurrently herewith.

AMENDMENTS

IN THE CLAIMS

Please cancel claims 5 and 36-38 without prejudice.

Please amend the claims to read as follows1:

1. (Four Times Amended) A substantially purified nucleic acid comprising consecutive nucleotides that encode a human TRELL polypeptide, wherein said TRELL polypeptide comprises the amino acid sequence of SEQ ID NO:4.

- 4. (Four Times Amended) A substantially pure nucleic acid that hybridizes under stringent conditions to SEQ ID NO:3, wherein said stringent conditions comprise washing steps using 2X SSC, 0.1% SDS at 65°C, and wherein said nucleic acid encodes a TRELL polypeptide of SEQ ID NO:4, or a soluble fragment thereof, that is capable of binding to a cell selected from the group consisting of:
 - a) a K562 promyelocytic cell;
 - b) a THP-1 monocytic leukemia cell;
 - c) an HT29 colon adenocarcinoma cell;

¹ Applicants have attached hereto an Appendix of Amendments at Exhibit A that discloses the amendments to the claims in the underline and bracket format.

KI

- d) a 293 embryonic kidney cell; and
- e) a Cos kidney fibroblast cell.

R

- 7. (Four Times Amended) The nucleic acid of claim 6 comprising SEQ ID NO:3.
- 28. (Three Times Amended) A method of expressing a TRELL polypeptide in an animal cell culture comprising:

[a.] introducing a vector comprising a nucleic acid molecule having consecutive nucleotides that encode said TRELL polypeptide into said cell culture, wherein said TRELL polypeptide comprises the amino acid sequence of SEQ ID NO:4, or a soluble fragment thereof; and

[b.] allowing said cell culture to live under conditions wherein said nucleic acid molecule is expressed in said cell culture.

K

- 30. (Twice Amended) The method of claim 28 wherein said animal cell culture is a an insect cell culture or a mammalian cell culture.
- 31. (Twice Amended) The method of claim 28 wherein said vector is a virus or a plasmid.

Please add the following claims:

Ple

39. (Added) A substantially pure nucleic acid,

consisting essentially of consecutive nucleotides that encode a TRELL polypeptide having the amino acid sequence of SEQ ID NO:2.

- 40. (Added) A substantially pure nucleic acid, comprising consecutive nucleotides that encode a human TRELL polypeptide, wherein said nucleic acid comprises SEQ ID NO:3.
- 41. (Added) The nucleic acid of claim 4, wherein said soluble fragment of said TRELL polypeptide comprises an amino-terminus that begins between amino acid numbers 81 and 139 of SEQ ID NO:4.
- 42. (Added) The nucleic acid of claim 41, wherein said soluble fragment of said TRELL polypeptide comprises amino acid numbers 81 to 284 of SEQ ID NO:4.
- 43. (Added) The method of 30, wherein said mammalian cell culture is a human cell culture.
- 44. (Added) A method of expressing a TRELL polypeptide in an animal cell culture, comprising the steps of:
- [a.] introducing a vector comprising a nucleic acid molecule comprising consecutive nucleotides encoding a TRELL polypeptide into said cell culture, wherein said TRELL polypeptide consists essentially of the amino acid sequence of SEQ ID NO:2; and